



ORIGINAL
(Red)

r.e. wright associates, inc.
earth resources consultants

March 16, 1993

Ms. Karen Wolper, Chief
Removal Enforcement Section
U.S. Environmental Protection Agency
Region III
841 Chestnut Building
Philadelphia, PA 19107

Re: Progress Report No. 32
Rogers Electric Site
Period 3/7/93 - 3/14/93
REWAI Project M91130

Dear Ms. Wolper:

Pursuant to Sec. VIII, 8.6 of the Administrative Consent Order for the Rogers Electric Site, Docket No. III-91-58-DC, the following provides a progress report for activities performed on behalf of Blake Construction Co., Inc. during the period 3/7/93 through 3/14/93. Additionally, a copy of the progress report submitted by the Defense Reutilization and Marketing Service (DRMS) covering their activities for the same period is attached.

1. Two dump trailers hauled the final loads of PCB-contaminated asphalt, concrete, and soil to Model City, NY for disposal. This activity concludes Blake's removal activities. No further weekly progress reports will follow this one (Report No. 32), as the final report is now in preparation.
2. Beginning to prepare the final report.
3. None anticipated.

gateway west 125 airport drive suite 36 westminster, md 21157-3030 (301) 876-0280

corporate office: 3240 schoolhouse road middletown, pa 17057-3595 (717) 944-5501

branch offices: king of prussia, pa dallas, tx

ORIGINAL
(Red)

Ms. Karen Wolper

2


March 16, 1993

4. N/A
5. N/A
6. See the attached lab analyses reports confirming the adequacy of excavation where soil, asphalt, and/or concrete were removed.
7. N/A

As always, if you have questions or comments, don't hesitate to call me at (410) 876-0280.

Sincerely,

R. E. WRIGHT ASSOCIATES, INC.



Timothy N. Gardner
Project Manager

TNG:blj

Attachments

cc: Joseph Phelan, MDE

Bruce Noble, DRMS

John Seymour, Shaw, Pittman, Potts, & Trowbridge

J. C. White, Blake Construction Co.

J. Kuzemchak, Clean Harbors of Baltimore, Inc.

Don Moyer, REWAI

Ned Wehler, REWAI

12 Mar 93

Mr. Timothy Gardner
Project Manager
R.E. Wright Associates, Inc.
125 Airport Drive, Suite 36
Westminster, Maryland 21157

ORIGINAL
(Red)

Dear Mr. Gardner:

Re: Remedial Action
Rogers Electric Site
Cheverly, Maryland

In accordance with Administrative Order of Consent (Consent Order), Docket Number III-91-58-DC, we have enclosed Progress Report No. 32 covering the period March 7, 1993 to March 13, 1993.

Please contact us should you require further information and clarification.

Yours truly,

Bruce Noble

Bruce Noble
Environmental Protection Specialist
Defense Reutilization and Marketing Service
Battle Creek, Michigan
(616) 961-7412

PROGRESS REPORT NO. 32
REMEDIAL ACTION
ROGERS ELECTRIC SITE
CHEVERLY MARYLAND

ORIGINAL
(Red)

PERIOD: MARCH 7, 1993 TO MARCH 13, 1993

This progress report is submitted pursuant to the requirements of the Administrative Order of Consent (Consent Order) Docket Number III-91-58-DC. For ease of reporting, activities are segregated into activities undertaken, data produced, submittals completed and activities scheduled for the project.

A. WORK COMPLETED

a) Activities Undertaken or Completed This Reporting Period

The following activities were taken during this reporting period:

- * On 12 Mar 93, DRMSs contractor Clean Ventures picked up and removed 44 drums from the site. All drums were shipped to APTUS in Lakeville, MN for temporary storage. All drums will be eventually shipped to APTUS in Coffeyville, KS for incineration. This work completed removal of all drums from the site and completes DRMS field work at the site.

b) Data Produced This Reporting Period

The following data were produced during this reporting period:

- * No data was produced this reporting period.

c) Submittals Completed This Reporting Period

The following data was submitted during this reporting period:

- * No data was produced this reporting period.

d) Activities Scheduled For Next Reporting Period

Activities planned for the next reporting period are detailed as follows:

- * DRMS will be submitting a final report to EPA Region III.

Respectfully submitted.

DEFENSE REUTILIZATION AND MARKETING SERVICE

Bruce Noble

BRUCE NOBLE
Environmental Protection Specialist
DRMS-SHP

ATTN: Tim Gardner
R. E. Wright Associates Inc.
125 Airport Drive, Suite 36
Gateway West
Westminster MD 21157

Page # 1
Sample # 45712-1

March 4, 1993

LAB ANALYSIS REPORT

Customer Name	: Blake/Rogers Elec.	Customer PO#	: 129485
Job Number	: 91130-99-99	Date Sampled	: 02/19/93
Location	: E-S/Outside Lot	Date Received	: 02/22/93
Sample State	: Soil	Date Completed	: 03/01/93
Collector	: TNG	Discard Date	: 03/16/93
	South End/East Side		
	Grab		

TEST/PARAMETER	RESULT	UNITS	DETECTION LIMIT	METHOD
GAS CHROMATOGRAPH ANALYSES				
PCBs				
PCB-1016	N.D.	mg/kg	1.0	8080
PCB-1221	N.D.	mg/kg	1.0	8080
PCB-1232	N.D.	mg/kg	1.0	8080
PCB-1242	N.D.	mg/kg	1.0	8080
CB-1248	N.D.	mg/kg	1.0	8080
PCB-1254	N.D.	mg/kg	1.0	8080
PCB-1260	N.D.	mg/kg	1.0	8080

N.D. - Not Detected

FAX RESULTS TO ROGERS ELECTRIC 301-341-5026

**** Continued ****



34 Dogwood Lane • Middletown, PA 17057
(717) 944-5541 • FAX (717) 944-1430

Philadelphia • (215) 640-1323

Maryland • (410) 244-8889

Page # 2
Sample # 45712-1

March 4, 1993

QUALITY ASSURANCE REPORT

Q/A PARAMETER

RESULT

CHROMATOGRAPH ANALYSES


PCBs

Decachlorobiphenyl
2,4,5,6-Tetrachloro-m-xylene

101
81

% Recovery Surrogate
% Recovery Surrogate

Respectfully Submitted,
WRIGHT LAB SERVICES


Ian Milnes
Laboratory Manager



34 Dogwood Lane • Middletown, PA 17057
(717) 944-5541 • FAX (717) 944-1430

Philadelphia • (215) 640-1323

Maryland • (410) 244-8889

ORIGINAL
(Red)

ATTN: Tim Gardner
R. E. Wright Associates Inc.
125 Airport Drive, Suite 36
Gateway West
Westminster MD 21157

Page # 1
Sample # 45712-1

March 4, 1993

DATA PACKAGE FORM

Job Name	: Blake/Rogers Elec.	Customer PO#	: 129485
Job Number	: 91130-99-99	Date Sampled	: 02/19/93
Location	: E-S/Outside Lot	Date Received	: 02/22/93
Sample State	: Soil	Date Completed	: 03/01/93
Collector	: TNG	Discard Date	: 03/16/93
	South End/East Side		
	Grab		

TEST/PARAMETER	PRESERVATIVE	ANALYTICAL METHOD	ANALYST	ANALYSIS DATE
PCBs				
PCB Extraction/soil	Cool to 4 Deg. C	8080	JLR JEK	03/01/93 02/22/93



34 Dogwood Lane • Middletown, PA 17057
(717) 944-5541 • FAX (717) 944-1430

Philadelphia • (215) 640-1323

Maryland • (410) 244-8889